

Prepared for:
Partnered Process LLC

402 Travis Ln Ste 64
Waukesha, WI USA 53189


750 mg Per 30mL Tincture org MCT CBD FS Crude Nat


Batch ID or Lot Number: OT31122-1	Test: Potency	Reported: 15Nov2022	USDA License: N/A
Matrix: Solution	Test ID: T000227295	Started: 14Nov2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 10Nov2022	Status: N/A

Cannabinoids

	LOD (mg/mL)	LOQ (mg/mL)	Result (mg/mL)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.062	0.176	<LOQ	<LOQ	Density = 0.9423g/mL
Cannabichromenic Acid (CBCA)	0.057	0.161	ND	ND	
Cannabidiol (CBD)	0.145	0.454	25.840	27.40	
Cannabidiolic Acid (CBDA)	0.148	0.466	ND	ND	
Cannabidivarin (CBDV)	0.034	0.107	0.120	0.10	
Cannabidivarinic Acid (CBDVA)	0.062	0.194	ND	ND	
Cannabigerol (CBG)	0.035	0.100	0.390	0.40	
Cannabigerolic Acid (CBGA)	0.147	0.417	ND	ND	
Cannabinol (CBN)	0.046	0.130	ND	ND	
Cannabinolic Acid (CBNA)	0.100	0.284	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.175	0.496	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.159	0.451	0.720	0.80	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.141	0.399	ND	ND	
Tetrahydrocannabivarin (THCV)	0.032	0.091	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.124	0.352	ND	ND	
Total Cannabinoids			27.070	28.70	
Total Potential THC			0.720	0.80	
Total Potential CBD			25.840	27.40	

Final Approval


PREPARED BY / DATE
Sam Smith
16Nov2022
05:21:00 PM MST


APPROVED BY / DATE
Karen Winternheimer
16Nov2022
05:26:00 PM MST



<https://results.botanacor.com/api/v1/coas/uuid/2c77b41e-a439-4916-9cb6-0e04aeede6e0>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
2c77b41ea43949169cb60e04aeede6e0.1